

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

<b>TOTAL LIVE BIRTHS</b>			<b>Birth Order</b>			<b>Marital Status</b>				
	<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		
Crude Live Birth Rate	12.3		First	280	41	of Mother				
General Fertility Rate	59.4		Second	225	33	Married	497	73		
			Third	105	15	Not married	187	27		
			Fourth or higher	74	11	Unknown	0	0		
Live births with reported congenital anomalies	13	. %	Unknown	0	0					
			<b>First Prenatal Visit</b>			<b>Education of Mother</b>				
<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		
Vaginal after previous cesarean	29	4	1st trimester	596	87	Elementary or less	1	<.5		
Forceps	5	1	2nd trimester	76	11	Some high school	62	9		
Other vaginal	496	73	3rd trimester	6	1	High school	275	40		
Primary cesarean	91	13	No visits	2	<.5	Some college	193	28		
Repeat cesarean	63	9	Unknown	4	1	College graduate	153	22		
Other or unknown	0	0				Unknown	0	0		
			<b>Number of Prenatal Care visits</b>			<b>Smoking Status of Mother</b>				
<b>Birth Weight</b>	<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		<b>Births</b>	<b>Percent</b>		
<1,500 gm	4	0.6	No visits	2	<.5	Smoker	173	25		
1,500-2,499 gm	42	6.1	1-4 visits	12	2	Nonsmoker	511	75		
2,500+ gm	638	93.3	5-9 visits	220	32	Unknown	0	0		
Unknown	0	0.0	10-12 visits	277	40					
			13+ visits	166	24					
			Unknown	7	1					
			<b>Low Birth Weight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
<b>Race of Mother</b>	Total Births <b>Births Percent</b>		<b>Births Percent</b>		<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	665 97		44 6.6		Births Percent		Births Percent		Births Percent	
Black	2 <.5		* .		582 88		72 11		11 2	
Other	17 2		2 11.8		* .		* .		* .	
Unknown	0 0		. .		12 71		4 24		1 6	
			. .		. .		. .		. .	
			<b>Low Birth Weight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
<b>Age of Mother</b>	Fertility <b>Births Rate</b>		<b>Births Percent</b>		<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	1 --		* .		Births Percent		Births Percent		Births Percent	
15-17	19 .		3 15.8		* .		* .		* .	
18-19	67 75		6 9.0		12 63		7 37		. .	
20-24	162 97		6 9.0		55 82		9 13		3 4	
25-29	207 136		12 7.4		143 88		16 10		3 2	
30-34	151 91		7 3.4		186 90		19 9		2 1	
35-39	63 29		7 4.6		134 89		15 10		2 1	
40+	14 .		8 12.7		54 86		8 13		1 2	
Unknown	0 --		3 21.4		11 79		2 14		1 7	
			. .		. .		. .		. .	
<b>Teenage Births</b>	87 40									

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	27
Giardiasis	15
Hepatitis Type A	<5
Hepatitis Type B**	0
Hepatitis NANB/C***	
Legionnaire's	<5
Lyme	18
Measles	0
Meningitis, Aseptic	8
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	9
Shigellosis	0
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	64
Genital Herpes	11
Gonorrhea	6
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	.

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	10,482
Non-compliant	48
Percent Compliant	99.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	553
Crude Death Rate	997

Age	Deaths	Rate
1-4	1	.
5-14	3	.
15-19	.	.
20-34	8	.
35-54	42	249
55-64	45	894
65-74	84	2,071
75-84	158	5,468
85+	209	17,824

Infant

Mortality	Deaths	Rate
Total Infant	3	.
Neonatal	1	.
Postneonatal	2	.
Unknown	.	.

Race of Mother

White	3	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	3	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	4	.
Neonatal	1	.
Fetal	3	.

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	169	305
Ischemic heart disease	.	.
Cancer (total)	123	222
Trachea/Bronchus/Lung	.	.
Colorectal	12	.
Female Breast	15	.*
Cerebrovascular Disease	45	81
Lower Resp. Disease	.	.
Pneumonia & Influenza	22	40
Injuries	26	47
Motor vehicle	9	.
Diabetes	16	.
Infectious & Parasitic	4	.
Suicide	7	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	6	.
Other Drugs	13	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	581	6
Alcohol-Related	73	5
With Citation:		
For OWI	45	2
For Speeding	53	0
Motorcyclist	14	1
Bicyclist	10	0
Pedestrian	11	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	487	8.8	4.6	\$10,331	\$91
<18	37	2.7	3.2	\$7,518	\$20
18-44	96	4.6	3.7	\$9,808	\$45
45-64	110	8.7	5.1	\$12,664	\$110
65+	244	30.1	4.9	\$9,912	\$298
<b>Injury: Hip Fracture</b>					
Total	58	1.0	5.4	\$12,090	\$13
65+	53	6.5	5.5	\$12,298	\$80
<b>Injury: Poisonings</b>					
Total	30	0.5	2.9	\$3,630	\$2
18-44	17	.	.	.	.
<b>Psychiatric</b>					
Total	232	4.2	6.7	\$4,203	\$18
<18	36	2.6	11.3	\$6,667	\$17
18-44	120	5.8	5.8	\$3,277	\$19
45-64	29	2.3	5.7	\$4,390	\$10
65+	47	5.8	6.1	\$4,563	\$26
<b>Coronary Heart Disease</b>					
Total	407	7.3	4.1	\$15,344	\$113
45-64	124	9.8	4.1	\$18,322	\$180
65+	273	33.6	4.2	\$13,942	\$469
<b>Malignant Neoplasms (Cancers): All</b>					
Total	246	4.4	5.7	\$12,274	\$54
18-44	18	.	.	.	.
45-64	69	5.5	5.2	\$12,214	\$67
65+	159	19.6	6.1	\$12,459	\$244
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	19	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	35	0.6	10.3	\$18,442	\$12
65+	24	3.0	11.5	\$20,700	\$61
<b>Neoplasms: Lung</b>					
Total	26	0.5	5.7	\$14,845	\$7
<b>Diabetes</b>					
Total	54	1.0	4.1	\$6,108	\$6
65+	23	2.8	4.4	\$6,389	\$18

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	201	3.6	7.5	\$3,675	\$13
18-44	118	5.7	7.4	\$3,299	\$19
45-64	60	4.8	6.5	\$4,027	\$19
<b>Pneumonia and Influenza</b>					
Total	378	6.8	4.4	\$6,143	\$42
<18	70	5.0	3.0	\$4,315	\$22
45-64	57	4.5	4.7	\$7,554	\$34
65+	230	28.3	4.8	\$5	\$0
<b>Cerebrovascular Disease</b>					
Total	165	3.0	4.4	\$8,583	\$26
45-64	25	2.0	4.1	\$10,627	\$21
65+	135	16.6	4.3	\$7,756	\$129
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	187	3.4	3.8	\$5,014	\$17
<18	41	2.9	2.4	\$2,464	\$7
18-44	14	.	.	.	.
45-64	36	2.9	4.3	\$6,445	\$18
65+	96	11.8	4.3	\$5,703	\$67
<b>Drug-Related</b>					
Total	40	0.7	10.7	\$5,243	\$4
18-44	13	.	.	.	.
<b>Total Hospitalizations</b>					
Total	6,951	125.3	4.0	\$7,149	\$896
<18	1,290	92.7	3.0	\$3,019	\$280
18-44	1,622	77.9	3.3	\$4,984	\$388
45-64	1,260	99.9	4.3	\$9,859	\$985
65+	2,779	342.3	4.8	\$9,101	\$3,115

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Total	1,130	20.4	4.0	\$5,655	\$115
<18	195	14.0	2.4	\$2,645	\$37
18-44	104	5.0	3.0	\$4,437	\$22
45-64	187	14.8	4.3	\$7,224	\$107
65+	644	79.3	4.5	\$6,307	\$500

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.